

INDEX MAPS. **T. 28N, R. 8 W. 2nd Mer.**


500	6	517	5	512	4	509	3	506	2	503	1	499
	516		516		512		509		506		503	
500	7	516	8	511	9	509	10	506	11	503	12	498
	516		517		511		508		505		502	
500	18	515	17	511	16	508	15	505	14	502	13	498
	515		515		511		508		505		502	
500	19	514	20	510	21	507	22	504	23	501	24	498
	514		514		510		507		504		501	
499	30	513	29	510	28	507	27	504	26	501	25	498
	513		512		510		506		504		501	
499	31	512	32	509	33	506	34	504	35	501	36	498
	497		497		497		497		497		497	

T.

R.

Mer.

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

 The figures on the lines refer to the page.

497

Township N. 28 North, Range N. 8 West 2. Mer. Indiana.

Township Lines.

Chas. Sk. South Boundary. Var. 6°. 15' E.

West on the S. Boundary of Sec. 36

3.00 leave Pond

40.00 set gr. sec. post and raise mound

80.00 set post cor. of sec. 35 & 36 and raise mound
Land level & 2. rate Prairie, some sandy

West on the S. Boundary of Sec. 35

40.00 set gr. sec. post and raise mound

80.00 set post cor. of sec. 34 & 35 and raise mound
Land level & 1. rate Prairie

West on the S. Boundary of Sec. 34

40.00 set gr. sec. post and raise mound

80.00 set post cor. of sec. 33 & 34 and raise mound
Land gently rolling & 1. rate Prairie

West on the S. Boundary of Sec. 33

9.00 a Brook 5 lks. wide course NW

40.00 set gr. sec. post and raise mound

80.00 set post cor. of sec. 32 & 33 and raise mound
Land same

West on the S. Boundary of Sec. 32

40.00 set gr. sec. post and raise mound

54.50 a Brook 4 lks. wide course NW

80.00 set post cor. of sec. 31 & 32 and raise mound.
Land same

West on the S. Boundary of Sec. 31

40.00 set gr. sec. post and raise mound

79.10 Intersect W. Boundary 853 lks. South of temp. post -
set post at intersection cor. of T. 27 & 28 N, R. 8 & 9
W. and raise mound.

Land same

April 9. 1834

T. 28 N., R. 8 W. 2^d Mer. Ind.^a

Ch. Lk.

East Boundary. Var. 6° 15' E.

North on the E. Boundary of Sec. 36

40.00 set g. sec. post and raise mound

80.00 set post cor. of sec. 25 & 36 and raise mound

Land rolling & 2^d rate dry Prairie

North on the E. Boundary of Sec. 25

40.00 set g. sec. post and raise mound

80.00 set post cor. of sec. 24 & 25 and raise mound

Land same as before

North on the E. Boundary of Sec. 24

40.00 set g. sec. post and raise mound

47.00 a Run 2 M. wide cross W. & leave Prairie & timber

68.00 enter flat Prairie

80.00 set post cor. of sec. 13 & 24 and raise mound

Land level & 2^d rate, timber some scattering Oak

North on the E. Boundary of Sec. 13

25.00 leave Prairie

26.89 a Y. Oak 28 in. dia.

32.00 re-enter Prairie

40.00 set g. sec. post and raise mound

80.00 set post cor. of sec. 12 & 13 and raise mound.

Land & same

North on the E. Boundary of Sec. 12

40.00 set g. sec. post and raise mound

55.00 enter timber

63.30 a W. Oak 12 in. dia.

78.20 set post on left bank of Pickawink River,
course W. from which

a Run Oak 14 in. dia. bears S 53° E 250 M. dist. &

a Do 20 " " " S 20° W 469 " "

80.00 cor. of sec. 11 & 12 in River

Land same

T. 28 N., R. 8 W. 2^d Mer. Ind.^a

Chr. Sk.

North on the E. Boundary of Sec. 1

2.93 set post on right bank of Pickamint River & Prairie from which

a Y. Oak 20 in. dia. bears S 65 $\frac{1}{3}$ W 55 $\frac{1}{2}$ lbs. dist. 8a Do 13 " " " N 50 $\frac{1}{2}$ E 224 " "

12.75 an Indian trail course NE

40.00 set gr. sec. post and raise mound

90.87 Intersect N. Boundary 969 lbs. W. of gr. sec. post
set post at intersection cr. of T. 28 N., R. 7 & 8 W
and raise mound.Land gently rolling & 1st rate dry Prairie.

April 12, 1834

West Boundary.

Var. from South end 67° 10' E.

" North " 5° 55' E.

North on the E. Boundary of Sec. 30, T. 28 N., R. 9 W

40.00 set gr. sec. post in Prairie & raise mound

79.00 enter a thicket

80.00 set post cr. of Sec. 25 & 30 from which

a Bur Oak 9 in. dia. bears N 69 W 92 lbs. dist. 8

a R. Oak 4 " " " S 81 $\frac{1}{2}$ W 15 " "

Prairie level, good soil

North on the E. Boundary of Sec. 25, T. 28 N., R. 9 W

3.00 leave thicket & enter bottoms

5.09 set post on left bank of Pickamint R. from which

an Elm 12 in. dia. bears N 43 W 42 lbs. dist. 8

a Do 10 " " " N 61 E 12 " "

6.95 set post on right bank of River from which

a W. Ash 13 in. dia. bears S 82 $\frac{1}{2}$ E 42 lbs. dist. 8a Do 17 " " " N 53 $\frac{1}{2}$ W 126 " "

8.50 leave bottoms & enter rich timbered Upland

24.00 leave timber & enter Prairie

40.00 set gr. sec. post in Prairie and raised mound

80.00 set post cr. of Sec. 24 & 25 and raise mound.

T. 28 N., R. 8 W. 2. Mer. Ind.

Ch. 1st.

Timbered land rich & well timbered with Oak,
Walnut, Ash, Elm, Buckeye &c. Prairie level,
good soil.

North on the E. Boundary of Sec. 24, T. 28 N., R. 9 W.

40.00 set of sec. part and raised mound

80.00 set part cor. of sec. 13 & 24 in Prairie, and
raised mound.

Land gently rolling Prairie, good soil

North on the E. Boundary of Sec. 13, T. 28 N., R. 9 W.

40.00 set of sec. part and raised mound in Prairie

80.00 set part cor. of sec. 12 & 13 in Prairie and raised
mound — Land similar

North on the E. Boundary of Sec. 12, T. 28 N., R. 9 W.

40.00 set of sec. part in Prairie and raised mound

80.00 set part cor. of sec. 12 & 12 in Prairie and raised
mound. Land &c. similar

North on the E. Boundary of Sec. 1, T. 28 N., R. 9 W.

40.00 set of sec. part in Prairie and raised mound

72.00 enter Marsh

79.50 leave "

89.69 Intersect South boundary of Sec. 31, T. 29 N.,

R. 8 W. 113 lbs. W. of the gr. sec. cor. —

set part at intersection cor. of T. 28 N., R. 8 &
9 W. and raised mound.

Land similar, more rolling & broken by
wet places, Date, April 13. 1834

Gilvester Sibley

Dep. Surveyor.

Subdivision. Var. C. 15. E.

Commenced November 6. 1834 and fin-
ished on the 15th of same month.

T. 28 N., R. 8 W. 2. Mer. Ind^a.

Ch. Ch.

North between Secs. 35 & 36

40.00 set g. sec. post in mound, pit East 3 lks.

80.00 set post cor. of secs. 25, 26, 35 & 36 and made mound, pit South 3 lks.

Land level first rate Prairie. Prairie grass

East on Random between Secs. 25 & 36

79.95 Intersect E. Boundary 80 lks. N. of post—

Land same as on last line

West Corrected between Secs. 25 & 36

39.97½ set g. sec. post at aver. dist. in mound, pit East 3 lks.

79.95 to sec. cor.

North between Secs. 25 & 26

40.00 set g. sec. post in mound, pit East 3 lks.

80.00 set post cor. of secs. 23, 24, 25 & 26 made mound pit South 3 lks.

Dry rich Prairie, land level

East on Random between Secs. 24 & 25

79.89 Intersect E. Boundary 97 lks. N. of post—

Land level 2nd rate, soil dry & generally very sandy

West Corrected between Secs. 24 & 25

39.94½ set g. sec. post at aver. dist. in mound, pit East 3 lks.

79.89 to sec. cor.

North between Secs. 23 & 24

40.00 set g. sec. post in mound, pit East 3 lks.

80.00 set post cor. of secs. 13, 14, 23 & 24 made mound, pit South 3 lks.

Prairie level mostly dry 1st rate.

T. 28 N., R. 8 W. 2. Mer. Ind.^e
 Chs. Pk.

East on Random between Secs. 13 & 24

16.25 enter grove

21.00 enter wet Prairie

24.00 at Brook 20 Ws. wide course NNW

26.00 enter grove

31.00 enter Prairie

80.04 Intersect E. Boundary 100 Ws. N. of post -
 Land level, mostly good soil, timber W. &
 B. Oak & Hickory

West Connected between Secs. 13 & 24

40.02 set gr. sec. post at aver. dist.

80.04 to Sec. cor.

North between Secs. 13 & 14

14.80 at Brook 15 Ws. wide course NNW

40.00 set gr. sec. post in mound, pit East 3 Ws.

58.00 enter timber

65.05 Intersect Pickawink River 201 Ws. wide
 course W. current gentle

80.00 set post at high water mark on the West
 bank of the Pickawink, cor. of Secs. 11, 12, 13
 & 14 from which

a B. Oak 12 in. dia. bears S 38 E 25 Ws. dist. 8,

a Do 8 " " " N 44 W 39 " "

Prairie dry, timber B., W. & P. Oaks & Hickory
 Upr. same, soil good. November 5. 1834

Distance across the creek ascertained
 by the Traverse.

East on Random between Secs. 12 & 13

2.50 over creek by offset, 150 Ws. wide, course
 SE, current slow in prairie

22.00 enter grove

42.00 enter Prairie

80.31 Intersect E. Boundary 95 Ws. N. of post -

T. 28 N., R. 8 W. 2. Mer. Ind.^a
 46th 8th

Land level 2. rate, soil mostly dry, timber
 Oaks Hickory

West Corrected between Secs. 12 & 13

40.15^h set of sec. post at aver. dist. from which
 a Hickory 5 in. dia. bears N 62 E 48th dist. 3
 a Bur Oak 10 " " " S 80 W 172 " "
 80.31 to sec. cor.

North between Secs. 11 & 12

1.25 over Creek, width same as before, by off-
 set In Prairie

9.80 Intersect Pickamint River 230th wide
 course SW, current gentle, measured through
 40.00 set of sec. post in mound, pit East 3th.

80.00 set post cor. of secs. 1, 2, 11 & 12 made mound,
 pit South 3th.

Land level except the bank of the Creek,
 soil good

East on Random between Secs. 12 & 12

80.41 Intersect E. Boundary 44th S. of the
 meander post on the North bank of Pick-
 amint River. The corner is supposed
 to be in the Creek.

Land gently rolling, soil good

West Corrected between Secs. 12 & 12

40.20^h set of sec. post at aver. dist. in mound, pit
 East 3th.

80.41 to sec. cor.

North between Secs. 12 & 2

40.00 set of sec. post in mound, pit East 3th.

89.75 Intersect N. Boundary 31.50th E. of post -
 set post at intersection cu. of secs. 12 & 2 in mound

T. 28 N., R. 8 W. D. Mer. Ind.
Chs. Lk.

pit South 3 lks.

Land level with Prairie. Nov. 7. 1834

North between Secs. 34 & 35

40.00 set g. sec. post in mound, pit East 3 lks.

80.00 set post cor. of sec. 20, 27, 34 & 35 made mound,
pit South 3 lks.

Level with Prairie

East on Random between Secs. 26 & 35

80.09 Intersect N. & E. line 4 3/4 lks. N. of post -

Land level, soil same as before

West Connected between Secs. 26 & 35

40.04 1/2 set g. sec. post at aver. dist. in mound,
pit East 3 lks.

80.09 to sec. cor.

North between Secs. 26 & 27

40.00 set g. sec. post in mound, pit East 3 lks.

80.00 set post in mound cor. of sec. 22, 23, 26 & 27
pit South 3 lks.

Land same as before described.

East on Random between Secs. 23 & 26

80.32 Intersect N. & E. line 6 1/4 lks. N. of post -

Level with Prairie

West Connected between Secs. 23 & 26

40.16 set g. sec. post at aver. dist. in mound, pit
East 3 lks.

80.32 to sec. cor.

North between Secs. 22 & 23

40.00 set g. sec. post in mound, pit East 3 lks.

80.00 set posts cor. of sec. 14, 15, 22 & 23 made a

rectangle.

T. 28 N., R. 8 W. 2. Sec. Ind.

Ch. 2k

mound, pit South 3 hrs.
Level rich Prairie

East on Random between Sec. 14 & 23

80.05 Intersect N & S. line at post —
All Prairie rich & level

West Corrected between Sec. 14 & 23

40.02 set of sec. post at aver. dist. in mound pit E. 3 hrs.
80.05 to sec. cor.

North between Sec. 14 & 15

23.70 Intersect Pickamink Creek 210 yds. wide, course
NW. current gentle

32.02 enter grove, a Bur Oak 36 in. dia.

40.00 set of sec. post from which

a Spruce 12 in. dia. bears S 10 1/2 E 19 yds. dist. S

a Hickory 6 " " " N 65 W 11 " "

44.00 leave grove & enter Prairie

80.00 set post cor. of sec. 10, 11, 14 & 15 made mound
pit South 3 hrs.

Timber in the grove Bur Oak, Hickory, Spruce,
Hackberry. Upr. Oak & Hickory, soil in the
whole line excellent.

East on Random between Sec. 11 & 14

43.50 enter timber

54.16 Intersect Pickamink 169 yds. wide course SW
current sluggish

55.85 enter Prairie

62.65 Intersect Pickamink 154 yds. wide course N.
current slow

69.00 enter timber

79.83 Intersect N & S. line on the bank of the creek
45 yds. N. of post.

Land level 2nd rate, soil mostly good.

T. 28 N., R. 8 W. 2^d Mer. Ind^a.
Ch^o. 2nd

West Corrected between Sec^s. 11 & 14

10.00 a Hickory 18 in. dia.

39.91 $\frac{1}{2}$ set gr. sec. post at aver. dirt in mound, pit
East 3 $\frac{1}{2}$ lbs.

79.83 to sec. cor. November 6. 1834

Width of the Creek ascertained by offset.

North between Sec^s. 10 & 11

40.00 set gr. sec. post in mound pit South 3 $\frac{1}{2}$ lbs.

80.00 set post cor. of sec^s. 2, 3, 10 & 11 made mound,
pit South 3 $\frac{1}{2}$ lbs.

Level dry rich Prairie

East on Random between Sec^s. 2 & 11

79.54 Intersect N. & S. line at post -

Soil and situation same

West Corrected between Sec^s. 2 & 11

39.77 set gr. sec. post at aver. dirt in mound, pit
East 3 $\frac{1}{2}$ lbs.

79.54 to sec. cor.

North between Sec^s. 2 & 3

40.00 set gr. sec. post in mound, pit East 3 $\frac{1}{2}$ lbs.

91.42 Intersect N. Boundary 33.30 Ch^o. E. of post -
set post cor. of sec^s. 2 & 3 made mound, pit
South 3 $\frac{1}{2}$ lbs.

Land level dry rich. Nov. 9. 1834

North between Sec^s. 33 & 34

40.00 set gr. sec. post in mound, pit East 3 $\frac{1}{2}$ lbs.

80.00 set post cor. of sec^s. 27, 28, 33 & 34 made mound
pit South 3 $\frac{1}{2}$ lbs.

Land level rich & dry. All Prairie

East on Random between Sec^s. 27 & 34

T. 28 N., R. 8 W. 3^d Mer. Ind.^a
Chr. 1st

79.80 Intersect N & S. line 43¹/₂ hrs. N. of post—
Level dry Prairie. Grass

West Corrected between Sec. 27 & 34

39.90 set gr. sec. post at aver. dist. in mound, pit
East 3 hrs.

79.80 to sec. cor.

North between Sec. 27 & 28

40.00 set gr. sec. post in mound pit East 3 hrs.

80.00 set post cor. of sec. 21, 22, 27 & 28 made mound
pit South 3 hrs.

Level rich Prairie with Prairie grass

East on Random between Sec. 22 & 27

79.98 Intersect N & S. line 60 hrs. N. of post—
Land same

West Corrected between Sec. 22 & 27

39.99 set gr. sec. post at aver. dist. in mound,
pit East 3 hrs.

79.98 to sec. cor.

North between Sec. 21 & 22

40.00 enter timber & set gr. sec. post from which
NW Oak 36 in. dia. bears S 86° W 152 hrs. dist. & S
a Hickory 20 " " " N 18° E 244 " "

46.56 a B. Oak 36 " "

61.92 a Bur Oak 30 " "

65.50 enter low Prairie

79.72 Intersect Pickamink 100 hrs. wide cross W.
current imperceptible (by traverse)

set post cor. of sec. 15, 16, 21 & 22 on the bank of
the creek at high water mark, made mound
pit South 3 hrs.

Soil good, timber Oak of all kinds & Hickory

T. 28 N., R. 8 W. 2. Mer. Ind.^a
 Chs. Spr.

The above point is set 28 Ws. S. of the true corner
 in the creek & in mound. Land level.

East on Random between Secs. 15 & 22

In the creek

4.50 over creek (by measure)

Distance same as before

12.28 deep pond

16.50 over pond by offset

20.00 Intersect Pickamint 140 Ws. wide

21.50 over creek (measure through course SW)

80.39 Intersect N. & S. line 18 Ws. N. of point—

All Prairie, soil East of creek rich

West Corrected between Secs. 15 & 22

40.19^h set gr. sec. point at aver. dirt in mound, pit

East 3 Ws.

80.39 to sec. cor.

Nov. 8. 1834

North between Secs. 15 & 16

0.85 a Hickory 15 in. dia. on bank of creek,
 marked as corner of Secs. 15 & 16

33.00 enter scattering timber

35.00 enter wet Prairie

40.00 set gr. sec. point in mound, pit East 3 Ws.

43.00 enter timber

69.78 a W. Oak 12 in. dia.

70.00 enter Prairie

80.00 set point cor. of secs. 9, 10, 15 & 16 made mound
 pit South 3 Ws.

Soil sandy & good, timber Hickory, W. Bur,
 & R. Oak, W. Hickory, Oak & Hazel
 Land level

East on Random between Secs. 10 & 15

80.70 Intersect N. & S. line 52 Ws. N. of point—

T. 28 N., R. 8 W. 2^d. Mer. Ind.^a
Chs. Chs.

Level dry rich Prairie

West Corrected between Sec. 10 & 15

40.35 set of sec. put at aver. dist. in mound, pit
East 3 lks.

80.70 to sec. cor.

North between Sec. 9 & 10

40.00 set of sec. put in mound, pit East 3 lks.

80.00 set put cor. of sec. 3, 4, 9 & 10 made mound, pit
South 3 lks. Level rich Prairie

East on Random between Sec. 3 & 10

80.51 Intersect N & S. line 82 lks. N. of put -
Level rich Prairie

West Corrected between Sec. 3 & 10

40.25 $\frac{1}{2}$ set of sec. put at aver. dist. in mound,
pit East 3 lks.

80.51 to sec. cor.

North between Sec. 3 & 4

40.00 set of sec. put in mound, pit East 3 lks.

91.85 Intersect Correction line 30.98 lks. E. of put -
set put at intersection cor. of sec. 3 & 4 in mound
pit South 3 lks.

Level rich Prairie. Nov. 9, 1834

North between Sec. 32 & 33

40.00 set of sec. put in mound, pit East 3 lks.

80.00 set put cor. of sec. 28, 29, 32 & 33 on the bank of
a small Brook in scattering timber, from
which a Bur Oak 10 in. dia. bears S 45° W 7 lks. dist. &
a Cherry 12 " " " N 58° W 24 " "

Land level, soil dry 2^d rate, no timber until
within a few links of the corner.

T. 28 N., R. 8 W. 2^d Mer. Ind.^a
 Chas. S. S.

East on Random between Sec. 28 & 33

1.90 a Brook 50 Yds. wide, at this place more than usual, course NW

79.74 Intersect N & S. line 44 Yds. N. of post -
 Level dry Prairie

West Corrected between Sec. 28 & 33

39.87 set of sec. post at aver. dist. in mound, pit
 East 3 Yds.

79.74 to sec. cor.

North between Sec. 28 & 29

In scattering timber

5.86 a Brook 20 Yds. wide course W

11.70 a B. Oak 10 in. dia.

14.00 enter Prairie

40.00 set of sec. post in mound, pit East 3 Yds.

80.00 set post cor. of sec. 20, 21, 28 & 29 made mound
 pit South 3 Yds. Nov. 10. 1834

Land level, soil in Prairie excellent.

East on Random between Sec. 21 & 28

79.14 Intersect N & S. line 70 Yds. N. of post -
 Level rich Prairie

West Corrected between Sec. 21 & 28

39.57 set of sec. post at aver. dist. in mound, pit
 East 3 Yds.

79.14 to sec. cor.

North between Sec. 20 & 21

40.00 set of sec. post near timber on the bank of
 the creek, from which

a B. Oak 15 in. dia. bears N 16° E 108 Yds. dist. &

a Hickory 15 " " " N 23 1/2° W 106 " "

41.50 Intersect Pickawinkie 110 Yds. wide course NW

T. 28 N., R. 8 W. 2^d. Mer. Ind^a.
Ch^a. 3rd.

current gentle
46.36 over Creek (by traverse) In timber
56.83 a R. Oak 12 in. dia.
68.00 enter Prairie
80.00 set post cor. of sec. 16, 17, 20 & 21 made mound,
pit South 3 M^s.
Prairie 1st note level, timber W, B, R & Bur
Oak, Hickory, Walnut, Gum & Elm. Upr. Hick-
ory, Gum & Oak

East on Random between Sec. 16 & 21
79.18 Intersect N. S. line 60 M^s. N. of post—
Level with Prairie

West Corrected between Sec. 16 & 21
39.59 set q. sec. post at aver. dist. in mound, pit
East 3 M^s.
79.18 to sec. cor.

North between Sec. 16 & 17
40.00 set q. sec. post in mound, pit East 3 M^s.
80.00 set post cor. of sec. 8, 9, 16 & 17 made mound
pit South 3 M^s.
Level dry Prairie, soil good

East on Random between Sec. 9 & 16
79.00 Intersect N. S. line 58 M^s. N. of post—
Land same

West Corrected between Sec. 9 & 16
39.50 set q. sec. post at aver. dist. in mound, pit
East 3 M^s.
79.00 to sec. cor. November 11. 1834

North between Sec. 8 & 9
40.00 set q. sec. post in mound, pit East 3 M^s.

T. 28 N., R. 8 W. 2. Mer. Ind.

Chs. E. & S.

80.00 set post cor. of sec. 4, 5, 8 & 9 made mound, pit South 3 lks.

Level Prairie, soil rich, mostly dry & sandy

East on Random between Sec. 4 & 9

78.53 Intersect N. & S. line 18 lks. S. of post -

Level dry T^h rate Prairie

West Corrected between Sec. 4 & 9

39.26 1/2 set g. sec. post at aver. dist. in mound, pit East 3 lks.

78.53 to sec. cor.

North between Sec. 4 & 5

40.00 set g. sec. post in mound, pit East 3 lks.

92.45 Intersect N. Boundary 33.84 Chs. E. of post -
set post at intersection cor. of sec. 4 & 5 in mound
pit South 3 lks. November 15. 1834

North between Sec. 31 & 32

39.76 at Brook 13 lks. wide corner NW

40.00 set g. sec. post in mound, pit East 3 lks.

55.00 at Brook 14 lks. wide corner N. E

61.80 a Sw 17 " " " NW

63.30 a Sw 11 " " " NE

80.00 set post cor. of sec. 29, 30, 31 & 32 made mound,
pit South 3 lks.This line is near the bank of the Brook and
quite rolling & gravelly, no timber except a few
trees some chains South of the last corner.
Soil T^h rate

East on Random between Sec. 29 & 32

2.50 at Brook 20 lks. wide corner NW

4.16 a Sw 13 " " " SW to first Brook
mentioned above

T. 28 N., R. 8 W. 2. Mer. Ind. v.
Chs. 10.

79.89 Intersect ~~W. & S.~~ line 10 Ws. N. of port—
Line near the bank of last mentioned Brook,
soil thin, few trees, Oak, Hickory, Upr. Hazel

West Corrected between Sec. 29 & 32

10.00 a Hickory 24 in. dia.

39.94 set of sec. port at aver. dist. from which
a R. Oak 6 in. dia. bears N 13½ E 31 Ws. dist. 3
a Cherry 4 " " " N 26 W 57 " "

79.89 to sec. cor.

West on Random between Sec. ~~29~~ & 32

00.00 enter timber

70.30 a Run 4 Ws. wide course N.

78.74 Intersect W. Boundary 200 Ws. S. of port—
Soil rather thin, timber scattering Oak &
Hickory. Upr. same

East Corrected between Sec. 30 & 31

Bearings in W. Boundary

a Hickory 5 in. dia. bears N 40 E 8 Ws. dist. 3

a B. Walnut 5 " " " S 32 E 19 " "

38.74 set of sec. port in mound, pit East 4 Ws.

78.74 to sec. cor.

North between Sec. 29 & 30

3.00 a Brook 20 Ws. wide course WNW

10.50 enter timber

21.58 a W. Oak 30 in. dia.

29.30 a Do 34 " "

40.00 set of sec. port from which

a Ash 8 in. dia. bears S 31 E 42 Ws. dist. 3

a B. Oak 57 " " " N 82 W 30 " "

41.67 a R. Oak 48 " "

75.30 a W. Oak 30 " "

80.00 set port cor. of sec. 19, 20, 29 & 30 from which

T. 28 N., R. 8 W. 2^d Mer. Ind^a.

Ch. Sp.

a Hickory 15 in. dia. bears S 60 E 42 lbs. dist. 8
 a W. Oak 30 " " " N 46 W 94 " "
 Land level 1st rate, timber W., B., Bur & R. Oak, Ash,
 Hickory, Gum, Elm &c. All of the above & Spruce
 & Sapasap Ulp. Timber thick & lofty

East on Random between Sec. 20 & 29

54.50 enter Prairie

80.08 Intersect N^d S. line 46 lbs. N. of port —
 Land & soil same as on last line

West Connected between Sec. 20 & 29

40.04 cut off sec. port at aver. dist. from which
 a R. Oak 36 in. dia. bears N 28 E 93 lbs. dist. 8
 an Elm 18 " " " N 72 E 84 " "

80.08 to sec. cor. November 12. 1834

West on Random between Sec. 19 & 30

8.00 enter low Prairie

17.00 Intersect Pickamink 123 lbs. wide course S.
 current slow

18.23 over creek & in timber

30.00 enter Prairie

77.45 Intersect W. Boundary 200 lbs. S. of port —
 Prairie West of the Creek dry, timber same
 as last described. Land mostly level.

East Connected between Sec. 19 & 30

37.45 cut off sec. port at aver. dist. in mound, pit
 East 3 lbs.

69.45 a Hickory 20 in. dia.

77.45 to sec. cor.

North between Sec. 19 & 20

1.42 Intersect Pickamink 140 lbs. wide course NW
 no current.

T. 28 N., R. 8 W. 2^d Mer. Indt.
Ch. Lks.

2.82 over Creek by Traverse
16.00 a R. Oak 12 in. dia.
40.00 set of sec. post from which
a B. Oak 14 in. dia. bears S 79 E 219 Yds. dist. S
a Hickory 20 " " " N 12 1/2 W 330 " "
45.50 enter Prairie
50.00 deep ravine
80.00 set post cor. of sec. 17, 18, 19 & 20 made mound
pit South 3 Yds.
Timber Oak & Hickory. Upr. sand, soil 2^d rate

East on Random between Sec. 17 & 20
79.72 Intersect N. & S. line 98 Yds. N. of post—
Level dry Prairie, soil 1st rate

West Corrected between Sec. 17 & 20
39.86 set of sec. post at aver. dist. in mound, pit
East 3 Yds.
79.72 to sec. cor.

West on Random between Sec. 18 & 19
21.00 Ravine
76.83 Intersect W. Boundary 186 Yds. S. of post—
Level rich Prairie

East Corrected between Sec. 18 & 19
36.83 set of sec. post in mound, pit East 3 Yds.
76.83 to sec. cor.

North between Sec. 17 & 18
40.00 set of sec. post in mound, pit East 3 Yds.
80.00 set post cor. of sec. 7, 8, 17 & 18 made mound,
pit South 3 Yds.
Level rich Prairie

East on Random between Sec. 8 & 17

T. 28 N., R. 8 W. 2. Mer. Ind.

E. & W. Cr.

79.62 Intersect N. & S. line 88 Ws. N. of post -
Level Prairie, West half dry, East half
wet 2. rate

West Corrected between Sec. 8 & 17

39.81 Set of sec. post at aver. dist. in mound, pit
East 3 Ws.

79.62 to sec. cor.

West between Sec. 7 & 18 on Random

76.10 Intersect W. Boundary 248 Ws. S. of post -
Level rich Prairie

East Corrected between Sec. 7 & 18

36.10 Set of sec. post in mound, pit East 3 Ws.

76.10 to sec. cor. November 13. 1834

North between Sec. 7 & 8

40.00 Set of sec. post in mound, pit East 3 Ws. dist.

80.00 Set post cor. of sec. 5, 6, 7 & 8 made mound,
pit East 3 Ws. Level rich Prairie

East on Random between Sec. 5 & 8

80.10 Intersect N. & S. line 127 Ws. N. of post -
Level rich Prairie

West Corrected between Sec. 5 & 8

40.05 Set of sec. post at aver. dist. in mound,
pit East 3 Ws. dist.

80.10 to sec. cor.

West on Random between Sec. 6 & 7

74.90 Intersect W. Boundary 275 Ws. S. of post -
Land level dry Prairie, with few exceptions

East Corrected between Sec. 6 & 7

T. 28 N., R. 8 W. 2. Mer. Ind.
Ch. 1. 1st.

34.90 set gr. sec. post in mound, pit East 3 lbs.
74.90 to sec. cor. November 14. 1834

North between Sec. 5 & 6

40.00 set gr. sec. post in mound, pit East 3 lbs.

92.23 Intersect N. Boundary 33.10 Ch. E. of post -
set post at intersection cor. of sec. 5 & 6 in
mound, pit South 3 lbs.

Level rich Prairie

Measured from the NW. corner of Town-
ship 28 to the above named corner between
Sec. 5 & 6, and found the distance to be
73 Ch. 60 lbs. November 15. 1834

General Description

The Prairie in this Township is mostly dry
rich, nearly level and covered with Prairie
grass. There are several excellent groves
of timber particularly in Sec. 19, 20, 29 & 30
sufficient for considerable settlements.
No stone or springs have come under my
notice.

I hereby certify that in pursuance of
a contract with Mr. T. Williams, Surveyor
General of the United States for the States of
Ohio and Indiana and the Territory of
Michigan, bearing date the 27th of October
1834 and in strict conformity to the laws of
the United States and the Instructions of
the Surveyor General, I have subdivided
into sections Township N. 28 North of Range
N. 8 West of the 2^d Principal Meridian, in
the State of Indiana. And I do further
certify that the foregoing are the true and
original field notes of the said survey and

T. 28 N., R. 8 W. 2^d Mer. Ind.

subdivision executed as aforesaid.

Certified this 16th of November 1834

Samuel Goodnow

Dep. Surveyor.

Frederic Lichlyter } Chainmen
Isaac Tomlinson }
William D. Porter, Marker.

I certify that the foregoing transcript of Field notes of the survey of Township N^o 28 North, in Range N^o 8 West of the 2^d Principal Meridian, in the State of Indiana, has been compared with the original on file in this office, and found to be correct.

Surveyor General's Office,
Cincinnati, Aug. 31. 1844

William Johnston
Sur. Genl.